

### **WHAT IS CLAIMED IS:**

1. A foldable chair assembly, comprising:

a support frame;

5 a first support leg having an upper portion pivotally mounted on a bottom of the support frame;

a second support leg having an upper portion pivotally mounted on the bottom of the support frame; and

two opposite resting members each pivotally mounted between a mediate portion of the first support leg and a mediate portion of the second support leg.

2. The foldable chair assembly in accordance with claim 1, wherein each of the two resting members is substantially V-shaped.

3. The foldable chair assembly in accordance with claim 1, wherein each of the two resting members has a first end pivotally mounted on an inner side of the first support leg by a first pin and a second end pivotally mounted on an outer side of the second support leg by a second pin.

4. The foldable chair assembly in accordance with claim 3, wherein the mediate portion of the first support leg is provided with a limit rod rested on the mediate portion of the second support leg, so that the first support leg is combined with the second support leg.

5. The foldable chair assembly in accordance with claim 4, wherein the limit rod is located above the first pin at the first end of each of the two resting members.

6. The foldable chair assembly in accordance with claim 4, wherein  
5 the limit rod is substantially  $\Omega$ -shaped.

7. The foldable chair assembly in accordance with claim 4, wherein the limit rod is located at an intersection of the first support leg and the second support leg.

8. The foldable chair assembly in accordance with claim 1, wherein  
10 each of the two resting members is formed with a bent portion located adjacent to the first end of each of the two resting members.

9. The foldable chair assembly in accordance with claim 8, wherein the bent portion of each of the two resting members has an opening facing downward when the foldable chair assembly is disposed at an extended state.

15 10. The foldable chair assembly in accordance with claim 1, wherein the bent portion of each of the two resting members has an opening facing upward when the foldable chair assembly is disposed at a folded state.

11. The foldable chair assembly in accordance with claim 1, wherein the bottom of the support frame is provided with a plurality of pivot ears for  
20 pivoting the upper portion of each of the first support leg and the second support leg by a plurality of pivot pins.

12. The foldable chair assembly in accordance with claim 1, wherein the second support leg has a length greater than that of the first support leg, so that the support frame and the seat are disposed at an inclined state.